CF

| | Application No. | Applicant(s) |
|---|--|--|
| Notice of Allowability | 10/061,019 | AHOUANTO ET AL. |
| | Examiner | Art Unit |
| | Geoffrey L. Knable | 1733 |
| The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT THE Office or upon petition by the applicant. See 37 CFR 1.313 | ars on the cover sheet wi OR REMAINS) CLOSED in or other appropriate common GHTS. This application is s and MPEP 1308. | n this application. If not included unication will be mailed in due course. THIS |
| | - <u>2004</u> . | |
| 2. The allowed claim(s) is/are <u>1-4 and 7-10</u> . | | |
| 3. \boxtimes The drawings filed on <u>30 January 2002</u> are accepted by the | Examiner. | |
| 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | been received. been received in Application uments have been received. of this communication to file | on No d in this national stage application from the |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must | | |
| (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's | Amendment / Comment or | in the Office action of |
| Paper No./Mail Date | Amond Common Co | III III O III O O III O O O O O O O O O |
| Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the | 84(c)) should be written on the header according to 37 CF | ne drawings in the front (not the back) of R 1.121(d). |
| 7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F | it of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO | ERIAL must be submitted. Note the DLOGICAL MATERIAL. |
| Attachment(s) 1. □ Notice of References Cited (PTO-892) | 5. ☐ Notice of In | formal Patent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | | ummary (PTO-413), |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date | 3), 7. 🛛 Examiner's | Mail Date Amendment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | | Statement of Reasons for Allowance |
| of Biological Material | 9. 🗍 Other | Geoffrey L. Knable Primary Examiner Art Unit: 1733 |

Application/Control Number: 10/061,019

Art Unit: 1733

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the claims:

Claim 8 has been amended as follows to correct an obvious typographical error¹.

- 8. (currently amended) The process according to claim 1 wherein the angular variation of the radial carcass reinforcement is effected by means of a cylindrical sleeve which is vulcanized and formed of two auxiliary plies N, the reinforcement elements of which form angles equal respectively to $-\alpha$ to $+\alpha$ and 90° with the circumferential direction.
- 2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Geoffrey L. Knable whose telephone number is 571-272-1220. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on 571-272-1226. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

 $^{^1}$ In this regard, it is noted that original claim 3 recited that the reinforcing elements in the two auxiliary plies N formed "angles equal respectively to 90^0 and $\pm\alpha$ or $\pm\alpha$ and 90^0 with the circumferential direction", applicant's expressed intent being to reflect the original four possibilities that were covered by original claim 3, it being set forth in the 5-17-2004 response that "amended claim 3 recites only one of those possibilities, whereas new claims 8-10 recite the other three." Claim 8 and 9 however inadvertently were presented as duplicates, it being clear however that this was simply a typographical error with respect to the wrong sign before the α in claim 8.

Application/Control Number: 10/061,019

Art Unit: 1733

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Geoffrey L. Knable Primary Examiner Art Unit 1733

G. Knable May 31, 2004